TWD Market

Product Details



EB3 4G Solar Panel Kit | CS-EB3/SP-R200(2K 4GA) 4G Smart Home Battery Camera

Offer Price: Rs. 16,277

Original Price: Rs. 19,533

Attributes

TWD MARKET



Product Description

EB3 4G

Flexible. Reliable. Capable.

EB3 4G Smart Home Battery Camera

Specifications

Specifications

Model	CS-EB3-R200-1K3FL4GA

Camera

Image Sensor	1/2.8” 3-Megapixel Progressive Scan CMOS Sensor
Minimum Illumination	0.01 Lux @(F1.6, AGC ON), 0 Lux with IR
Shutter Speed	Self-adaptive shutter
Lens	2.8mm@ F1.6; 130° (Diagonal), 108° (Horizontal), 56° (Vertical)
Day & Night	IR-Cut filter with auto-switching
DNR	3D DNR
Night Vision	IR Distance:15m, Color Night Vision Distance:15m

Video & Audio

Max. Resolution	2304 × 1296
Frame Rate	Max:15fps; Self-Adaptive during network transmission
Video Compression	H.265 / H.264
Video Bit Rate	Ultra-HD; Full HD, Hi-Def Adaptive bit rate
Audio Bit Rate	Self-Adaptive
Max. Bitrate	1.5 Mbps

Network

Bluetooth	Supports
Frequency Bands	IN LTE-FDD： B1/B3/B5/B8 IN LTE-TDD： B34/B38/B39/B40/B41 EU LTE-FDD： B1/B3/B5/B7/B8/B20/B28 LA LTE-FDD： B2/B3/B4/B5/B7/B8/B28/B66

TWD MARKET

Function

Smart Alarm	AI-Powered Human Shape Detection, AI-Powered Vehicle Shape Detection
Two-way Talk	Supports
General Function	Anti-Flicker, Heart Beat, Password Protection, Watermark

Storage

Local Storage	Supports microSD card (Up to 512 GB)
Cloud Storage	Supports EZVIZ CloudPlay storage (Subscription required)

General

Operating Conditions	-20 °C to 50 °C (-4 °F to 122 °F), humidity 95% or less (Non-condensing)
IP Grade	IP65
Power Supply	DC 5V/2A (Compatible power adapter needs to be purchased separately)
Battery Capacity	5200 mAh
Power Consumption	Max. 10W

Product Dimensions	153.3 mm × 62.95 mm × 62.95 mm
Packaging Dimensions	103 × 103 × 186 mm
Weight	Net Weight: 222.7 g (7.85 oz) With Package: 569 g (20.07 oz)

In the box

In the box	- EB3 4G Camera - Screw Base - Pin - Power Cable - Drill Template - Screw Kit - Regulatory Information × 3 - Quick Start Guide

TWELL MARKET

Certifications

Certifications	CE / REACH / WEEE / RoHS